



Footway Resurface:-

- Primary & secondary weed removal treatment.
- 0 to 100mm thick subbase Regulating - recycled Type 1 material.
- 50mm thick BASE - AC 20 open bin 160/220.
- 25mm thick SURFACE COURSE - AC 6 close surf 100/150


Footway - Total Area =383m²

Clean out all dished channels within the treatment area.

Existing Covers - (mm)

1200 x 1000.....	1 number
1100 x 600.....	1 number
900 x 450.....	1 number
800 x 600.....	2 number
700 x 550.....	1 number
600 x 550.....	1 number
500 x 250.....	1 number
450 x 300.....	1 number
300 x 150.....	1 number
250 x 150.....	2 number
220 x 220.....	1 number
150 x 150.....	5 number

1. Parking suspension shall be necessary outside shop frontages and on the northeastbound lane.
2. At Chainage 28 there is a bus stop that will need to closed and a temporary bus stop installed. The bus company is Stagecoach Service 19 to Carterton



- Footway treatment limits
- 250mm wide dished channel
- 300mm wide fluted channel

© Crown Copyright and Database rights 100023343 2016

Rev.	Date	Purpose of revision	Drawn	Checked



Project title
**Footway Programme 2017/18
 Bampton
 Bridge Street**

Drawing title
Treatment

Drawing Status		Construction	
Scale @ A3	Drawn by	Checked by	Approved by
n.t.s	Date drawn	Date checked	Date approved

Oxfordshire Project No. & File Ref
 C.AT00211.01 12.9.119